

ICC-ES Listing Report

ESL-1021

Reissued June 2026

Subject to renewal June 2027

Listings are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the listing or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this listing, or as to any product covered by the listing.

Copyright © 2026 ICC Evaluation Service, LLC. All rights reserved.

DIVISION: 06 00 00 – WOOD, PLASTIC AND COMPOSITES Section: 06 05 73.13 – Fire-Retardant Wood Treatment	LISTEE: CHEMCO, INC. ADDITIONAL LISTEE: FSR TREATMENT, INC.	PRODUCT: FRX, SAFERWOOD, THERMEX-FR, AND MATAVERDE INTERIOR AND EXTERIOR FIRE- RETARDANT-TREATED WOOD PRODUCTS	
--	---	---	---

PRODUCT CERTIFICATION SYSTEM:

The ICC-ES product-certification system includes evaluating reports of tests of standard manufactured product, prepared by accredited testing laboratories and provided by the listee, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the listee's quality system.

EVALUATION:

Chemco, Inc., FRX, SaferWood, Thermex-FR, and Mataverde fire-retardant treated wood were evaluated when tested to the following standard:

- CAN/ULC- S102-10, Standard Method of Test for Surface Burning Characteristics of Building Materials and Assemblies, Underwriters Laboratories of Canada

FINDINGS:

Chemco, Inc., FRX, SaferWood, Thermex-FR, and Mataverde fire-retardant treated wood have a flame spread rating of 25 or less and a smoke developed classification of 100 or less.

IDENTIFICATION:

1. Lumber and plywood treated with FRX, SaferWood, Thermex-FR, and Mataverde fire-retardant chemicals are identified with a label indicating the listee's name (Chemco, Inc.) and address, the product name, the species of the wood treated, the ICC-ES listing report number (ESL-1021) and the ICC-ES listing mark.
2. The report holder's contact information is the following:
CHEMCO, INC.
POST OFFICE BOX 875
FERNDAL, WASHINGTON 98248
(360) 366-3500
www.chemco.org
info@chemco.org

3. The additional listee's contact information is the following:

**FSR TREATMENT, INC.
9486 288th STREET
MAPLE RIDGE, BRITISH COLUMBIA V2W 1L1
CANADA**

INSTALLATION

The product must be installed in accordance with the Chemco, Inc., instructions.

DESCRIPTION OF PRODUCTS:

FRX, SaferWood-FX and Thermex-FR fire-retardant-treated lumber may be one of the following species: structural-grade southern pine, Douglas fir, Spruce-pine-fir, western red cedar, Redwood or western hem-fir. Mataverde fire-retardant-treated lumber includes only structural grade western hem-fir. FRX, SaferWood-FX and Thermex-FR fire-retardant-treated plywood fabricated with face and back veneers of the following species have been evaluated as being fire-retardant-treated wood: structural-grade southern yellow pine, Douglas fir, white spruce, western red cedar or western hem-fir. The plywood is Structural I grade, exterior plywood complying with PS1.

MODELS:

Structural Grade Southern Pine Lumber, Douglas Fir Lumber, White Spruce Lumber, Western Red Cedar Lumber, Western Hem-fir Lumber, Southern Pine Plywood, Douglas fir Plywood, White Spruce Plywood, Western Red Cedar Plywood and Western Hem-fir Plywood.

CONDITIONS OF LISTING:

1. The listing report addresses only those findings noted above and is applicable to the flame spread rating and smoke developed classification only.
2. Approval is the sole responsibility of the local code official.
3. This listing report applies only to the materials tested and as submitted for review by ICC-ES.
4. FRX, SaferWood, Thermex-FR, and Mataverde lumber and plywood are treated in Ferndale, Washington, under a quality control program with inspections by ICC-ES and QAI Laboratories (AA-635).